

## ANCOMYCIN 200 LA

### COMPOSITION:

Oxytetracycline hydrochloride eq. to 200 mg base  
Excipients up to 1 ml.

### PHARMACOLOGICAL PROPERTIES:

Oxytetracycline is a broad spectrum antibiotic active against both Gram-positive and Gram-negative organisms, and also against rickettsiae, mycoplasmas, chlamidiae and some protozoa. Thanks to its particular composition, Ancomycin 200 LA provides therapeutically active blood levels for 3 to 4 days when given at the recommended dose.

### INDICATIONS:

Infections caused by oxytetracycline susceptible microorganisms, such as infections of the respiratory tract, gastro-intestinal tract, uro-genital tract, soft tissues, skin and wounds, bacterial infections secondary to viral ones, septicemias, and more particularly:

- Cattle: bronchopneumonias, shipping fever, colibacillosis and diphtheria (necrobacillosis) in calves, anaplasmosis, leptospirosis, panaritium, wooden tongue, anthrax.
- Sheep, goats: respiratory infections, foot-rot, navel ill.
- Pigs: enzootic pneumonia, atrophic rhinitis, colibacillosis in piglets, leptospirosis, erysipelas, exudative epidermitis.

### DOSAGE AND ADMINISTRATION:

Intramuscular injection (or subcutaneous injection in piglets).

Maximum 25 ml of the solution per injection site.

Cattle, sheep, goats, swine: 20 mg oxytetracycline/kg b.w. or 1 ml per 10 kg b.w.

If necessary, treatment should be repeated with an interval of 3 days.

### CONTRA-INDICATIONS, WARNINGS:

Hypersensitivity to tetracyclines.

Kidney and/or liver insufficiencies.

Dosages should not be exceeded in pregnant animals.

### PACK SIZE:

50 ml, 100 ml, 250 ml.

